

# PRLG [Regulators



AVAILABLE  
IN NPT OR  
HOSE THREAD  
OPTIONS!



The Senninger Landscape Grade Pressure Regulator is ideal for installations requiring lower flows [0.1 - 7.0 gpm] including low-volume and sprinkler irrigation systems connected to outdoor hose bibb faucets or other lawn and landscape applications.

## FEATURES:

- Maintains a constant preset outlet pressure while handling varying inlet pressures
- Prevents wasteful misting when using small nozzles
- Tamper-proof housing
- Very low hysteresis and friction losses
- Maximum flow path resists plugging
- 100% water-tested for accuracy (no adjustments ever needed)
- Two-year warranty on materials, workmanship AND performance



**CAUTION:**  
Always install  
downstream  
from all shut  
off valves.

**PRLG** - Pressure Regulator Landscape Grade

Model Number	Preset Operating Pressure		Maximum Inlet Pressure		Flow Range		Inlet Sizes	Outlet Sizes
	psi	[bar]	psi	[bar]	gpm	[L/hr]		
PRLG-10	10	0.69	80	5.52	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-15	15	1.03	90	6.21	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-20	20	1.38	100	6.90	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-25	25	1.72	120	8.28	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-30	30	2.07	120	8.28	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-35	35	2.41	120	8.28	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT
PRLG-40	40	2.76	120	8.28	0.1 - 7	23 - 1590	3/4" F hose, 3/4" F NPT	3/4" M hose, 3/4" M NPT

Regulated pressure is 1/2 psi [0.03 bar] higher with increasing inlet pressure than with decreasing inlet pressure